



NET CONTENTS: 6 POUNDS
(128 x .75 OZ. blocks)



Fast-Kill[®]

B R A N D

B L O C K S

Kills Mice & Rats

KEEP OUT OF REACH OF CHILDREN. CAUTION: See side panel for additional precautionary statements.	ACTIVE INGREDIENT:	
	Bromethalin.....	0.01%
	OTHER INGREDIENTS.....	99.99%
	TOTAL.....	100.00%

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: DO NOT EXPOSE CHILDREN, PETS, OR NON-TARGET ANIMALS TO RODENTICIDES.

TO HELP PREVENT ACCIDENTS:

1. Store product not in use out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under six (6) years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS:

This product may be used to control Norway Rats, Roof Rats, and House Mice in the sites indicated below for Urban Areas and Non-Urban Areas. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait. Wear water-proof gloves if you handle bait or dead animals.

URBAN AREAS: This product may only be used in and around (within 15 feet of) homes, and in industrial, commercial, and public buildings. This product may also be used in transport vehicles

(ships, trains, and aircraft) and in and around (within 15 feet of) related port or terminal buildings; this product may be used in alleys.

NON-URBAN AREAS: This product may only be used inside of homes, and agricultural buildings.

SELECTION OF TREATMENT AREAS:

Determine areas where rats and mice will most likely find an opening and consume the bait. Generally, these areas are along walls, by gnawed openings or rub marks, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rodents have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

BAITING: This package contains enough bait (6 lbs.) to kill 64 to 192 rats.

APPLICATION DIRECTIONS:

Norway Rats and Roof Rats: Use 2 to 8 blocks per placement. Make placements at intervals of approximately 15 to 30 feet at appropriate locations in infested area. Adjust the amount of bait provided according to the level of rat feeding expected at each placement location.

HOUSE MICE: Use 1 block per typical placement. Space placements at intervals of 8 to 12 feet in appropriate locations in infested areas. Up to 2 blocks, may be placed at points of extremely high house mouse activity.

Baiting Strategy (Rats and Mice): Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placement and replenish bait at sites where there is evidence of heavy feeding or where there is continued evidence of rodent activity. Normally, the volume of bait consumed will be significantly less with Bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least one week to provide all rodents a chance to feed on the bait. Continue baiting until all signs of feeding have ceased.

FOLLOW UP: Replace contaminated or spoiled bait immediately. Using water resistant gloves, collect and properly dispose of all dead animals and leftover bait. To discourage reinfestation, limit sources of rodent food, water and harborage and rodent-proof structures as much as possible. If reinfestation does occur, repeat treatment. When a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product and spoiled and unconsumed bait, may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration, or if allowed by local and state authorities, by burning. If burned, stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Washed thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco.

FIRST AID: Have label when obtaining treatment advice.

If swallowed: Call a Poison Control Center, doctor or 1-800-222-1222 immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If On Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water or 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

NOTE TO PHYSICIAN OR VETERINARIAN: This is not an anticoagulant rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic or corticosteroid.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

Note: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

Model # M2020

EPA Reg. No. 47629-11
EPA Est. No. 47629-PA-001

Manufactured for:
Woodstream
Woodstream Corporation
69 N. Locust Street
Lititz, PA 17543-0327
1-800-800-1819
www.victorpest.com

